



ITEMS PWH CANNOT ACCEPT

Please note that PWH must use our own funds to cover trash removal. Therefore, we kindly request that you refrain from sending any items that we have not explicitly requested. Unwanted items received will be returned to sender. We appreciate your understanding and cooperation in helping us manage our resources efficiently.

DO NOT DONATE THESE ITEMS:

- Alarm systems & sensors for beds
- Bone cement liquid & devices
- Cleaning chemicals of any kind
- CO2 detectors, CO2 nasal sampling kits
- CPAP machines and supplies by Philips-Respironics (recalled 2022)
- Dialysis supplies
- Expired cleaning wipes
- Face shields & non-medical PPE (including contractor masks, food prep gloves)
- Filter straws
- Glucometers/test strips
- Hand sanitizer
- Incontinence: we cannot accept briefs/pull-ups without original packaging reflecting size (open packages are ok)
- Infant formula
- Isolation gowns level 1 & 2
- IV port protectors (including “red caps”) & blunt needles
- Kangaroo enteral pumps
- Lift chair recliners/stair lifts
- Medications/vitamins/prescriptions of any kind (including over-the-counter meds)
- Motorized wheelchairs & scooters
- Needles/syringes - non-sterile
- Non-functional (or with parts missing) equipment/machines
- Oxygen concentrators - floor/home models
- PD & Hemodialysis liquid, tubing & accessories
- PVC shower chairs
- Refrigerators/freezers
- Respiratory products (circuits, O2 delivery) MFG by: Fisher & Paykel, VapoTherm, Hamilton, Dräger
- Surgical drapes with any plastic or fenestration - non-sterile
- Swabs - foam tip
- Toilet seat risers
- X-ray equipment

EXPIRED OR EXPIRING WITHIN 1 YEAR FROM DONATION:

- IV injection & irrigation solution
- Saline flush
- Test tubes & specimen collection supplies